

## Absence of neurobehavioral disturbance in a focal lesion of the left paracentral lobule

T. Imamura and K. Tsuburaya

Department of Neurology, Tohoku Kohseinenkin Hospital, Sendai, Japan

Correspondence to: T. Imamura, Department of Neurology, Institute of Brain Diseases, Tohoku University School of Medicine, 1-1, Seiryomachi, Aoba-Ku, Sendai 980, Japan

**The case of a right-handed woman with an infarction confined to the left paracentral lobule and sparing the supplementary motor area (SMA) is reported. She presented with a right leg monoplegia and displayed no mutism. The absence of any associated neurobehavioral disturbances (mutism, forced grasping, reduced spontaneous arm activity or aphasia) raises the possibility that the left SMA has discrete neurobehavioral functions.**

**Keywords:** Medial frontal lobe – Precentral gyrus – Supplementary motor area – Transcortical motor aphasia

### INTRODUCTION

Various kinds of neurobehavioral disturbances associated with left medial frontal lesions involving the supplementary motor area (SMA) have been reported. Aphasia due to damage of the left medial frontal lobe is characterized by an initial period of mutism followed by a stage of decreased verbal output and spontaneous initiation with normal articulation (Stuss and Benson, 1986). Forced grasping, compulsive manipulation of tools and decreased spontaneous limb movements have also been described (Wise, 1984; Feinberg *et al.*, 1992). However, most reported patients with a combination of these disturbances in association with left medial frontal infarctions (Rubens, 1975; Masdeu *et al.*, 1978; Racy *et al.*, 1979; Alexander and Schmitt, 1980; Goldberg *et al.*, 1981; Mori and Yamadori, 1982; Uchiyama *et al.*, 1983; Notoya *et al.*, 1985; Motomura *et al.*, 1988; Takahashi *et al.*, 1991; Maeda *et al.*, 1991; Della Sala *et al.*, 1991) have an additional contralateral leg monoparesis, indicating involvement of the medial precentral gyrus.

The left precentral gyrus has recently been considered to have additional neurobehavioral functions. Some authors (Mori *et al.*, 1989; Alexander *et al.*, 1990) attributed the articulatory disturbance of Broca's aphasia to a lesion in the lower part of the dominant precentral gyrus. Rapcsak *et al.* (1988) reported a lexical agraphia associated with an infarction confined to the middle one third of the left precentral gyrus. These lesions are immediately posterior to the classical language area, that is, Broca's area or the writing center of Exner (the foot of the inferior or middle frontal gyrus, respectively).

We now describe a patient with a focal infarction in the

medial part of the left precentral gyrus, which is adjacent to the SMA, to evaluate its possible neurobehavioral functions.

### CASE REPORT

A 73-year-old right-handed woman with a history of hypertension and diabetes mellitus suddenly developed a gait disturbance. On examination, 24 h later, she was alert and orientated with no emotional changes. There was a flaccid monoplegia and sensory disturbance of the right leg. Spontaneous movements of the arms were normal and grasp reflex or instinctive grasp reaction absent. No alien hand syndrome or compulsive manipulation of tools was observed. Her speech was fluent and productive with no hesitation, effortfulness, dysprosodia, articulatory disturbances or paraphasia. She could name 10 small man-made objects and 10 body parts in a prompt manner. She performed category word finding tasks satisfactorily (animal, 11/min; fish, 11/min and when given the initial letter, 8 and 9/min respectively on 2 trials). There was no abnormality in repetition, pointing or syntax comprehension. She could read sentences with no difficulty, and her writing was normal. Ideomotor apraxia was not observed. Neuroimaging showed an infarction confined to the left paracentral lobule (Fig. 1), which spared the SMA and the frontoparietal convexity.

By the 4th week in hospital, her weakness had improved. She scored 99 on the verbal IQ of the Wechsler Adult Intelligence Scale (WAIS). Assessment with the Standard Language Test of Aphasia (SLTA) (Takeda,




FIG. 1. A focal infarction in the left paracentral lobule can be seen on a magnetic resonance T1 weighted image (top). A sagittal image of single photon emission CT (bottom) revealed a corresponding reduced uptake of the tracer (arrow).

1977), which consists of standardized subtests of speech, comprehension, reading, writing and calculation for Japanese, revealed no signs of language disturbances. Repeated neuropsychological assessments detected no callosal disconnection syndrome.

#### COMMENT

The absence of aphasia and other neurobehavioral disturbances in a focal infarction of the left paracentral lobule is unusual. Several case reports in the literature, however, are consistent with our observation. Wilson (1923) reported a patient who at autopsy was found to have a left medial paracentral infarction, and whose speech "presented no abnormality". A recent series of anterior cerebral artery territory infarctions (Bogousslavsky and Regli, 1990) included a patient with a distal left ACA infarct who revealed no neuropsychological disturbances. The only neurological abnormality was a left monoplegia with sensory disturbance.

The medial and lateral parts of the precentral gyrus have discrete neuroanatomical relationships (see Wise, 1984 for review). The anterior portion of the lateral precentral gyrus belongs to the premotor cortex (Brodmann's area 6). On the other hand, the medial precentral gyrus consists of primary motor cortex (Brodmann's area 4). This may be the reason why only lateral lesions of the left precentral gyrus manifest neurobehavioral disturbances.

Language disturbances without weakness of the limbs in left medial frontal infarction suggest an intact precentral gyrus. Case 7 of Freedman *et al.* (1984) had transcortical motor aphasia (TCMA), and patient 14 of Bogousslavsky and Regli (1990) had initial mutism followed by TCMA associated with perseveration and impaired conflictual tasks. Computed axial tomography of both patients indicated lesions involving the left SMA. These findings support a double dissociation, that is, the lesion confined to the left SMA reveals a characteristic language disturbance without motor weakness, and a focal lesion of the left medial precentral gyrus shows right lower monoplegia without aphasia. Further clinico-pathological studies are needed, however, to confirm this putative neurobehavioral function of the left SMA.

#### REFERENCES

- Alexander MP and Schmitt MA (1980) The aphasia syndrome of stroke in the left anterior cerebral artery territory. *Archives of Neurology*, **37**, 97-100.
- Alexander MP, Naeser MA and Palumbo C (1990) Broca's area aphasias: aphasia after lesions including the frontal operculum. *Neurology*, **40**, 353-362.
- Bogousslavsky J and Regli F (1990) Anterior cerebral artery territory infarction in the Lausanne stroke registry: clinical and etiologic patterns. *Archives of Neurology*, **47**, 144-150.
- Della Sala S, Marchetti C and Spinnler H (1991) Right-sided anarchic (alien) hand: a longitudinal study. *Neuropsychologia*, **29**, 1113-1127.
- Feinberg TE, Schindler RJ, Flanagan NG and Haber LD (1992) Two alien hand syndromes. *Neurology*, **42**, 19-24.
- Freedman M, Alexander MP and Naeser MA (1984) Anatomical basis of transcortical motor aphasia. *Neurology*, **34**, 409-417.
- Goldberg G, Mayer NH and Togli JU (1981) Medial frontal cortex infarction and the alien hand sign. *Archives of Neurology*, **38**, 683-686.
- Maeda M, Nagasawa H, Yorizuki K, Sayama S and Ogino H (1991) Compulsive manipulation of tools and its clinical symptomatology. *Higher Brain Function Research*, **11**, 187-194 (in Japanese).
- Masdeu JC, Schoene WC and Funkenstein H (1978) Aphasia following infarction of the left supplementary motor area: a clinicopathological study. *Neurology*, **28**, 1220-1223.
- Mori E and Yamadori A (1982) Compulsive manipulation of tools and pathological grasp phenomenon. *Clinical Neurology (Tokyo)*, **22**, 329-335 (in Japanese).
- Mori E, Yamadori A and Furumoto M (1989) Left precentral gyrus and Broca's aphasia: a clinicopathologic study. *Neurology*, **39**, 51-54.
- Motomura S, Fujihara K, Honda Y and Sato Y (1988) Compul-

- sive manipulation of tools: report of a case with specific reference to the heterogeneity of inhibitory behaviour. *Japanese Journal of Neuropsychology*, **4**, 118-124 (in Japanese).
- Notoya M, Suzuki S, Kurachi M, Koyama Y and Onoe T (1985) Compulsive manipulation of objects with right hand. *Higher Brain Function Research*, **5**, 764-770 (in Japanese).
- Racy A, Jannotta FS and Lehner LH (1979) Aphasia resulting from occlusion of the left anterior cerebral artery: report of a case with an old infarct in the left Rolandic region. *Archives of Neurology*, **36**, 221-224.
- Rapcsak SZ, Arthur SA and Rubens AB (1988) Lexical agraphia from focal lesion of the left precentral gyrus. *Neurology*, **38**, 1119-1123.
- Rubens AB (1975) Aphasia with infarction in the territory of the anterior cerebral artery. *Cortex*, **11**, 239-250.
- Stuss DT and Benson DF (1986) Frontal aphasic disorders. In: *The Frontal Lobes*, pp. 160-169. Raven Press, New York.
- Takahashi N, Kawamura M, Katayama K and Hirayama K (1991) Releasing phenomenon of well learned praxis with right hand. *Clinical Neurology (Tokyo)*, **31**, 489-493 (in Japanese).
- Takeda K (1977) Standard language test of aphasia: detailed description of construction of aphasia test in Japanese. *Shinkei Kenkyu no Shinpo*, **3**, 450-458 (in Japanese).
- Uchiyama S, Yoshino K, Ohka T and Uchiyama, C (1983) The alien hand sign associated with left anterior cerebral artery occlusion. *Neurological Medicine (Tokyo)*, **18**, 396-399 (in Japanese).
- Wilson G (1923) Crural monoplegia and paraplegia of cortical origin with a discussion of the cortical centers for the rectum, bladder and sexual functions. *Archives of Neurology and Psychiatry*, **10**, 669-679.
- Wise SP (1984) The nonprimary motor cortex and its role in the cerebral control of movement. In: *Dynamic Aspects of Neocortical Function* (Eds GM Edelman, WE Gall and WM Cowan), pp. 525-555. Wiley, New York.



# Hindawi

Submit your manuscripts at  
<http://www.hindawi.com>

