

Erratum

Erratum to “The Assistive Device Situation for ALS Patients in Norway”

Jenny Pernilla Rolland,¹ Mari-Anne Myrberget,² and Tore Wergeland Meisingset^{3,4}

¹Faculty of Medicine and Health Sciences, Norwegian University of Science and Technology, 7491 Trondheim, Norway

²Department of Clinical Services, St. Olav's University Hospital, 7006 Trondheim, Norway

³Institute of Neuromedicine and Movement Science, Norwegian University of Science and Technology, 7491 Trondheim, Norway

⁴Department of Neurology and Neurophysiology, St. Olav's University Hospital, 7006 Trondheim, Norway

Correspondence should be addressed to Jenny Pernilla Rolland; jennypr@stud.ntnu.no

Received 30 August 2022; Accepted 30 August 2022; Published 25 October 2022

Copyright © 2022 Jenny Pernilla Rolland et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “The Assistive Device Situation for ALS Patients in Norway” [1], the authors wish to correct two typographical errors in Conclusion and Data Availability that were introduced while in the production stages.

The errors are as follows:

- (1) In Conclusion, “Some experience complicated procurement processes and bureaucratic delays, (...) practical obstacles, and delays due to patient-specific factors” should read as

“Some experience complicated procurement processes and bureaucratic delays, practical obstacles, and delays due to patient-specific factors”

- (2) In Data Availability, “Raw data can be made available (...) can be made available to the editor for confirmation purposes” should read as

“Raw data can be made available to the editor for confirmation purposes”

References

- [1] J. P. Rolland, M.-A. Myrberget, and T. W. Meisingset, “The Assistive Device Situation for ALS Patients in Norway,” *Occupational Therapy International*, vol. 2021, Article ID 5563343, 5 pages, 2021.